




BISON GEAR

Toyota Land Cruiser 250 / Lexus GX550 External Molle Panel Installation Guide

EXT-GX550-L, EXT-GX550-R







Before you start

Familiarize yourself with these instructions. The external panel is shipped in one package. Ensure that all listed parts and hardware are present in both packages. Locate a flat surface or floor with a minimum area of **1.5 x 1.5 meters**. Gather the required tools.









BISON GEAR

⚙ Part list – Right panel – EXT-GX550-R

LP	PART	QTY	IMAGE
1	EXT-GX550 - Panel	1	
2	EXT-GX550-Right upper bracket	1	
3	Suction cup with threads	2	
4	Bolt M8x25	4	



5	Bolt M6x16	3	
6	Flat washer M8	4	
7	Flat washer M6	3	
8	Nut M8	4	
9	Nut M6	3	
10	Blind nut M6	2	









BISON GEAR

⚙ Part list – Left panel - EXT-GX550-L

LP	PART	QTY	IMAGE
1	EXT-GX550 - Panel	1	
2	EXT-GX550-Left upper bracket	1	
3	Suction cup with threads	2	
4	Bolt M8x25	4	



5	Bolt M6x16	3	
6	Flat washer M8	4	
7	Flat washer M6	3	
8	Nut M8	4	
9	Nut M6	3	
10	Blind nut M6	2	



BISON GEAR

List of necessary tools¹:

- 5 mm Allen Key (Hex)
- 4 mm Allen Key (Hex)
- 10 mm wrench
- 13 mm wrench

Installation:

Before you start to work familiarize with the **External Molle Panel Diagram** on the **page 8**. There is an exploded view that shows you how to install it. Follow the steps below to install the product correctly.

1. Assemble the panel with **suction cups** using **blind nuts** on the ground or other flat space.
2. Pre-screw upper bracket to the panel using **M6 bolts** with **washer** and **nuts**.
3. Prepare **M8 bolts** with **nuts** and **washer**.
4. Now you can mount panel to your roof rack. Set the position of the panel the best for you (you can change position on oblong holes) and screw **all the bolts**.
5. Push the **suction cups** to the window.

Make sure that everything is mounted properly, and all the bolts are tighten. If it everything is correct, your work is done.

After driving 50km with your panel, check all the bolts and retighten them if necessary.

¹ The tools **are not** the part of the set.



BISON GEAR

Have a good time with the Bison Gear product!



Email: contact@bison-gear.com

Phone: **+48 505 642 981**



BISON GEAR

External Molle Panel Diagram

