




BISON GEAR

TOYOTA 4RUNNER 5th GENERATION ROOF SHELF INSTALLATION GUIDE

SH-4R5G





BISON GEAR

💡 Before you start

The installation requires both Bison Gear Window Panels to be installed first. Familiarize yourself with these instructions. The Roof Shelf is shipped in one parcel. Ensure that all listed parts and hardware are present in the package.

⚙️ Part list

LP	PART	QTY	IMAGE
1	Shelf	1	
2	Front panel	1	
3	Bracket	2	



BISON GEAR

5	Flange nut M6 DIN 6923	14	
6	Flange bolt M6x12 ISO 7380-2	14	

✖ List of necessary tools¹:

- **4 mm Allen Key (Hex)**
- **10 mm wrench**


¹ NOTE: The tools are not the part of the set.
bison-gear.com



BISON GEAR

🔧 Installation:


1. Start by preparing all the parts and gathering the necessary tools.
2. Make sure that **both Bison Gear Window Panels** are mounted according to their installation guides.



3. As shown in the picture above, attach the **front panel** to the **shelf** using M6x12 flange bolts and M6 flange nuts.




BISON GEAR



4. Choose your desired shelf position by attaching the **brackets** to the window panels - they can be mounted on the **first or second row of round holes**.



BISON GEAR



5. Put the shelf **on top of the brackets** (insert it from the passenger compartment), adjust it and secure it using M6x12 Flange bolts and M6 Flange nuts.



BISON GEAR

6. Make all the necessary adjustments to ensure the best fit and **tighten all bolts fully**.

Make sure that everything is mounted properly, and all the bolts are tightened. If everything is correct, your work is done.

After driving 50 km, check all the bolts and re-tighten them if necessary.



BISON GEAR

Have a great time with the Bison Gear product!



Email: contact@bison-gear.com

Phone: +48 505 642 981