




BISON GEAR

Suzuki Jimny JB74 Roof Shelf Installation Guide

SH-JB74







Before you start

Familiarize yourself with these instructions. Ensure that all listed parts and hardware are present. Gather the required tools.





BISON GEAR

Part list

LP	PART	QTY	IMAGE
1	Shelf	1	
2	Front barrier	1	
3	Mounting bracket	2	
4	Flange bolt M6x20 ISO 7380-2	4	



BISON GEAR

5	Flange bolt M6x12 ISO 7380-2	10	
6	Flange nut M6 DIN 6923	10	

List of necessary tools¹:


- 4 mm Allen Key (Hex)
- 10 mm wrench

¹ NOTE The tools are not included in the set.



BISON GEAR

Roof Shelf Diagram





Installation:

Before you start to work, familiarize with the **Roof Shelf Diagram** on **page 4**. There is an exploded view that shows you how to install the shelf parts together. Follow the steps below to install the product correctly:

1. Mount together the **front panel** and **shelf** using **M6x12 flange bolts** and **M6 flange nuts**.
2. Now you need to screw the **mounting brackets** to the car. There are 4 threaded holes (2 on the left and 2 on the right) under the roof of your car. The **front holes** are used to screw on the cargo barrier (if your car is equipped with one). You will need to unscrew the **front screws** and remove the hole cover in the second hole.
3. Slide the **mounting bracket** between the cargo barrier and the roof. Pre-screw the **rack support** using **M6x20 bolts**. (Do the same on the opposite side)
4. Place the previously prepared **shelf** on the brackets.
5. Pre-screw the **shelf** using **M6x12 bolts** and **M6 nuts**.
6. Adjust the **position** of the shelf.



BISON GEAR

7. Tighten **all screws and nuts**.

Make sure that everything is mounted properly, and all the bolts are tightened.
If it everything is correct, your work is done.

After driving 50km, check all the bolts and re-tighten them if necessary.

Have a great time with Bison Gear products!



Email: contact@bison-gear.com

Phone: **+48 505 642 981**