




BISON GEAR

DROP-DOWN TAILGATE TABLE INSTALLATION GUIDE

TBL-104





BISON GEAR

💡 Before you start

This Drop-Down Tailgate Table was designed mainly with cars listed below in mind:

- **Lexus GX470**
- **Lexus GX460**
- **Toyota Land Cruiser 120**
- **Toyota Land Cruiser 150**
- **Toyota FJ Cruiser**
- **Land Rover Discovery 2**
- **Mitsubishi Pajero/Montero IV**

This does not mean it will not fit any other vehicles, but before starting the installation process check if it will fit your car by reviewing the measurements available on our website.



⚙️ Part list

LP	PART	QTY	IMAGE
1	Table	1	
2	M5x16 Flange bolt ISO 7380-2	6	
3	Oversized M5 washer Din 9021	2	
4	M5 Flange nut DIN 6923	6	




BISON GEAR

☒ List of necessary tools¹:

- **3 mm Allen Key (Hex)**
- **8 mm wrench**
- **5- or 5.5-mm drill**

☒ Torque settings:

During assembly, use the recommended tightening torques for screw, unless other parameters are specified for a given connection.




¹ NOTE: The tools are not the part of the set.
bison-gear.com



BISON GEAR

Table diagram





Installation:

The table and parts required during the installation are shipped in a single package, make sure that all of them are included. Familiarize yourself with the diagram on **page 5**.

1. Begin by preparing all the parts and gathering the necessary tools.
2. Test where you would like the table to fit on your tailgate and mark spots on the trim for the 6 bolts that will hold it in place.
3. Remove the trim of your tailgate and drill holes in your trim in previously marked spots.
4. Using the included hardware, bolt the table to the trim as shown in the picture on **page 5**. The trim should be between the table backing plate and the washers.
5. Mount the trim with the table attached to your tailgate.
6. Test the table a few times (open and close it) to check if everything works properly.

Make sure that everything is mounted properly, and all the bolts are tightened. If everything is correct, your work is done.

After driving 50km with the table, check all the bolts and retighten them if necessary.



BISON GEAR

QR code for video instructions for FJ Cruiser:





BISON GEAR

Have a great time with the Bison Gear product!



Email: contact@bison-gear.com

Phone: +48 505 642 981